

## SAFETY DATA SHEET

## Linear Joint Sealant

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

Linear Joint Sealant

## Product no.

100898, 100900

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Sealant. Sealing agent. Insulation material.

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Fireseal AB**

Esbogatan 14

164 74 Kista

## Contact person

Anders Bengtsson

## Revision

12/05/2026

## SDS Version

3.0

## 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

## Hazard pictogram(s)

Not applicable.

## Signal word

Not applicable.

## Hazard statement(s)

Not applicable.

## Precautionary statement(s)

## General

Not applicable.

#### Prevention

Not applicable.

#### Response

Not applicable.

#### Storage

Not applicable.

#### Disposal

Not applicable.

#### Hazardous substances

Contains no substances that need to be listed on the label.

#### Additional labelling

EUH208, Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).  
May produce an allergic reaction.

#### 2.3. Other hazards

##### Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

-

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Ethanediol	CAS No.: 107-21-1 EC No.: 203-473-3 UK-REACH: 01-2119456816-28-XXXX Index No.: 603-027-00-1	0,1 < 1 %	Acute Tox. 4, H302 STOT RE 2, H373	[1]
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 EC No.: UK-REACH: Index No.: 613-167-00-5	< 0,0015 %	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1, H314 (SCL: 0,6 %) Skin Irrit. 2, H315 (SCL: 0,06 %) Skin Sens. 1A, H317 (SCL: 0,0015 %) Eye Dam. 1, H318 (SCL: 0,6 %) Eye Irrit. 2, H319 (SCL: 0,06 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.  
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

In case of discomfort: bring the person into fresh air.  
Consult a doctor if you feel unwell.

#### Skin contact

Wash the skin thoroughly with plenty of water.  
Consult a doctor if you feel unwell.

#### Eye contact

Rinse cautiously with water for several minutes. Remove any contact lenses if this is easy to do. Continue rinsing. If eye irritation persists: Seek medical attention.

#### Ingestion

Rinse mouth with water. Do not induce vomiting. Consult a doctor if you feel unwell.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.  
Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

In case of fire, preferably use an ABC extinguisher in accordance with applicable fire safety regulations.

#### 5.2. Special hazards arising from the substance or mixture

Exposure to decomposition products may be hazardous to health. Closed containers exposed to fire should be cooled with water. Do not allow water used to extinguish the fire to run into drains or watercourses.

#### 5.3. Advice for firefighters

Firefighters should use appropriate protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

#### 6.2. Environmental precautions

Avoid release to the environment. Do not discharge into waterways, sewer systems or drains.

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Do not expose to heat, sparks, or open flames. Take measures against static electricity. See section 10.

#### Recommended storage material

Keep only in original packaging.

### Storage conditions

Dry, cool and well ventilated  
 $\leq 30^{\circ}\text{C}$

### Incompatible materials

Strong acids  
 Strong bases  
 Oxidising agent.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Ethanediol

Long term exposure limit (8 hours) (ppm): 20(vapour)

Long term exposure limit (8 hours) ( $\text{mg}/\text{m}^3$ ): 10(particulate)/52(vapour)

Short term exposure limit (15 minutes) (ppm): 40 (vapour)

Short term exposure limit (15 minutes) ( $\text{mg}/\text{m}^3$ ): 104 (vapour)

Annotations:

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
 EH40/2005 Workplace exposure limits (Fourth Edition 2020).

### DNEL

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Duration:	Route of exposure:	DNEL:
Long term - Local effects - General population	Inhalation	20 $\mu\text{g}/\text{m}^3$
Long term - Local effects - Workers	Inhalation	20 $\mu\text{g}/\text{m}^3$
Short term - Local effects - General population	Inhalation	40 $\mu\text{g}/\text{m}^3$
Short term - Local effects - Workers	Inhalation	40 $\mu\text{g}/\text{m}^3$
Long term - Systemic effects - General population	Oral	90 $\mu\text{g}/\text{kg bw}/\text{day}$
Short term - Systemic effects - General population	Oral	110 $\mu\text{g}/\text{kg bw}/\text{day}$

### PNEC

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 $\mu\text{g}/\text{L}$
Freshwater sediment		27 $\mu\text{g}/\text{kg}$
Intermittent release (freshwater)		3.39 $\mu\text{g}/\text{L}$
Intermittent release (marine water)		3.39 $\mu\text{g}/\text{L}$
Marine water		3.39 $\mu\text{g}/\text{L}$
Marine water sediment		27 $\mu\text{g}/\text{kg}$
Sewage treatment plant		230 $\mu\text{g}/\text{L}$
Soil		10 $\mu\text{g}/\text{kg}$

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

Wash hands after use.

#### Measures to avoid environmental exposure

Avoid release to the environment. Do not discharge into waterways, sewer systems or drains.

#### Individual protection measures, such as personal protective equipment

##### Generally

Use only UKCA marked protective equipment.

##### Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation.			

##### Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No special when used as intended	-	-	-

##### Eye protection

Type	Standards
No special when used as intended.	-

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Paste

#### Colour

White

#### Odour / Odour threshold

No data available.

#### pH

8 - 9,5

#### Density (g/cm<sup>3</sup>)

1,520 (20 °C)

#### Relative density

1,536 (20 °C)

#### Kinematic viscosity

> 20,5 mm<sup>2</sup>/s (40 °C)

Particle characteristics

No data available.

Phase changes

Melting point/Freezing point (°C)

No data available.

Softening point/range (°C)

No data available.

Boiling point (°C)

172 °C

Vapour pressure

2247 Pa (20 °C)

Relative vapour density

No data available.

Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards

Flash point (°C)

> 60 °C

Flammability (°C)

No data available.

Auto-ignition temperature (°C)

400 °C

Lower and upper explosion limit (% v/v)

No data available.

Solubility

Solubility in water

No data available.

n-octanol/water coefficient (LogKow)

No data available.

Solubility in fat (g/L)

No data available.

9.2. Other information

Oxidizing properties

Ej relevant

Other physical and chemical parameters

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids

Strong bases

Oxidising agent.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Upon heating, toxic gases may be formed. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

None known.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Endocrine disrupting properties

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### EWC code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/A DN/RID	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

No special.

#### Demands for specific education

No specific requirements.

#### Control of Major Accident Hazards (COMAH) - Categories / dangerous substances

Not applicable.

#### Additional information

Not applicable.

#### Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.  
H302, Harmful if swallowed.  
H310, Fatal in contact with skin.  
H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H318, Causes serious eye damage.  
H319, Causes serious eye irritation.  
H330, Fatal if inhaled.  
H373, May cause damage to organs through prolonged or repeated exposure.  
H400, Very toxic to aquatic life.  
H410, Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EC = Effective concentration  
ED = Effective dose  
EINECS = European Inventory of Existing Commercial chemical Substances  
EL = Effective Loading  
ErC = Concentration associated with x% growth rate response  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
GWP = Global warming potential  
HP = Hazardous Property code  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IC = X maximum inhibitory concentration  
IMDG = International Maritime Dangerous Goods  
LC = Lethal concentration  
LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans  
LD = Lethal dose  
LOAEC = Lowest Observed Adverse Effect Concentration  
LOAEL = Lowest Observed Adverse Effect Level  
LOEC = Lowest Observed Effect Concentration  
LogKow = logarithm of the n-octanol/water coefficient  
LL = Lethal Loading  
M = For multiplication factor  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NOAEC = No Observed Adverse Effect Concentration  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
NOELR = No Observable Effect Loading Rate  
OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

Not applicable.

#### The safety data sheet is validated by

Goodpoint

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en