

SAFETY DATA SHEET**Linear**

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 29.10.2018

Revision date 18.03.2024

1.1. Product identifier

Product name Linear

Synonyms FIRESEAL LINEAR 310ML 100898 White

Article no. 100898, 100900

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Sealant.

Uses advised against All användning som inte anges i detta avsnitt eller i avsnitt 7.3.

1.3. Details of the supplier of the safety data sheet**Producer**

Company name Fireseal AB

Postal address Esbogatan 14

Postcode SE-164 74

City Kista

Country Sweden

Email info@fireseal.se

1.4. Emergency telephone number

Emergency telephone Telephone number: 112
Description: SOS.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Substance / mixture hazardous properties Not regarded as a health or environmental hazard under current legislation.

2.2. Label elements

Supplemental label information

EUH 208 Contains 1,2-benzisotiazol-3(2H)-on, 5-klor-2-metyl-2H-isotiazol-3-one [EG-nr 247-500-7] and 2-metyl-2H-isotiazol-3- one [EG-nr 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

PBT / vPvB

Not PBT or vPvB.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Composition type	Mixture			
Substance	Identification	Classification	Contents	Notes
1,2-Benzisothiazolin-3-one	CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6 REACH Reg. No.: 01-2120761540-60-XXXX	Acute tox. 4; H302; Skin Irrit. 2; H315; Eye Dam. 1; H318; Skin Sens. 1; H317; Aquatic Acute 1; H400; M-factor 1;	< 0,01 %	1
Dipropylene dibenzoate	CAS No.: 27138-31-4 EC No.: 248-258-5	Aquatic Chronic 3; H412; On basis of test data	2,5 < 5 %	
Ethanediol	CAS No.: 107-21-1 EC No.: 203-473-3 Index No.: 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373	0,1 < 1 %	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 Index No.: 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H310 Acute Tox. 2; H330 Skin Corr. 1C; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH 071	< 0,0015 %	

¹Substance classified with a health or environmental hazard

Substance comments

The full text for all hazard statements is displayed in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General

Förgiftningssymptom kan visa sig långt efter exponeringen. Vid minsta tveksamhet, direkt exponering för produkten eller ihållande obehag, kontakta läkare.

Inhalation

Not considered harmful. If breathing is difficult, remove victim to fresh air and

	keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Skin contact	Not considered harmful. Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Försök ej ta ut kontaktlinser om de har fastnat, eftersom de annars kan orsaka ytterligare skador. Uppsök omedelbart läkare och visa produktens säkerhetsdatablad.
Ingestion	Seek medical attention immediately and show the product safety data sheet. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Rinse mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

General symptoms and effects	Treat symptomatically. De allvarliga och fördröjda effekterna anges i avsnitt 2 och 11.
------------------------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment	Treat symptomatically.
-------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Powder.
------------------------------	---------

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	Farliga sönderfallsprodukter bildas vid brandsituationer.
Hazardous combustion products	The product is non-combustible. If heated, toxic vapours may be formed.

5.3. Advice for firefighters

Personal protective equipment	Use personal protective equipment as required. Välj skyddsutrustning i förhållande till brandens omfattning.
Other information	Eliminate all ignition sources if safe to do so. Använd vattenspray eller dimma för att kyla ned exponerade behållare. Se till att brandsläckningsprodukterna inte rinner ner i vattenmiljön.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures	Use personal protective equipment as required.
For emergency responders	Stop leak if safe to do so. Use personal protective equipment as required. See section 8.

6.2. Environmental precautions

Environmental precautionary measures	Avoid discharge into drains, water courses or onto the ground.
--------------------------------------	--

6.3. Methods and material for containment and cleaning up

Clean up	Absorb with sand or other inert absorbent. Do not absorb in sawdust or other combustible materials. For waste disposal, see section 13.
----------	---

6.4. Reference to other sections

Other instructions	See section 7, 8 and 13.
--------------------	--------------------------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Observe good chemical hygiene practices. Förvaring av absorptionsmedel i närheten av produkten rekommenderas. Take precautionary measures against static discharge. Wash hands and contaminated areas with water and soap after finished work. Avoid eating, drinking and smoking when using the product.
----------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage	Store in tightly closed original container in a dry, cool and well-ventilated place.
Conditions to avoid	Keep away from heat, sparks and open flame. Take precautionary measures against static discharge. Förvaras åtskilt från livsmedel och djurfoder. See section 10.

7.3. Specific end use(s)

Specific use(s)	The identified uses for this product are detailed in Section 1.2.
-----------------	---

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Ethanediol	CAS No.: 107-21-1	Limit value (8 h) : 10 mg/m ³	

DNEL / PNEC

DNEL	Group: Consumer Route of exposure: Long-term dermal (systemic) Value: 0,345 mg/kg Comments: CAS no. 2634-33-5
	Group: Consumer Route of exposure: Long-term inhalation (systemic) Value: 1,2 mg/m ³ Comments: CAS no. 2634-33-5
	Group: Professional Route of exposure: Long-term dermal (systemic) Value: 0,966 mg/kg Comments: CAS no. 2634-33-5

Group: Professional
Route of exposure: Long-term inhalation (systemic)
Value: 6,81 mg/m³
Comments: CAS no. 2634-33-5

Group: Professional
Route of exposure: Long-term dermal (systemic)
Value: 106 mg/kg
Comments: CAS no. 107-21-1

Group: Professional
Route of exposure: Long-term inhalation (local)
Value: 35 mg/m³
Comments: CAS no. 107-21-1

Group: Consumer
Route of exposure: Long-term dermal (systemic)
Value: 53 mg/kg
Comments: CAS no. 107-21-1

Group: Consumer
Route of exposure: Long-term inhalation (local)
Value: 7 mg/m³
Comments: CAS no. 107-21-1

Group: Professional
Route of exposure: Long-term dermal (systemic)
Value: 10 mg/kg
Comments: CAS no. 27138-31-4

Group: Professional
Route of exposure: Long-term inhalation (systemic)
Value: 8,8 mg/m³
Comments: CAS no. 27138-31-4

Group: Consumer
Route of exposure: Long-term oral (systemic)
Value: 5 mg/kg
Comments: CAS no. 27138-31-4

Group: Consumer
Route of exposure: Long-term dermal (systemic)
Value: 0,22 mg/kg
Comments: CAS no. 27138-31-4

Group: Consumer
Route of exposure: Long-term inhalation (systemic)
Value: 8,69 mg/m³
Comments: CAS no. 27138-31-4

Group: Professional
Route of exposure: Acute dermal (systemic)
Value: 170 mg/kg
Comments: CAS no. 27138-31-4

Group: Professional

PNEC

Route of exposure: Acute inhalation (systemic)
Value: 35,08 mg/m³
Comments: CAS no. 27138-31-4

Group: Consumer
Route of exposure: Acute oral (systemic)
Value: 80 mg/kg
Comments: CAS no. 27138-31-4

Group: Consumer
Route of exposure: Acute dermal (systemic)
Value: 80 mg/kg
Comments: CAS no. 27138-31-4

Group: Consumer
Route of exposure: Acute inhalation (systemic)
Value: 8,7 mg/m³
Comments: CAS no. 27138-31-4

Route of exposure: Sewage treatment plant STP
Value: 1,03 mg/l
Comments: CAS no: 2634-33-5

Route of exposure: Freshwater
Value: 0,00403 mg/l
Comments: CAS no: 2634-33-5

Route of exposure: Soil
Value: 3 mg/kg
Comments: CAS no: 2634-33-5

Route of exposure: Saltwater
Value: 0,000403 mg/l
Comments: CAS no: 2634-33-5

Route of exposure: Saltwater sediments
Value: 0,00499 mg/kg
Comments: CAS no: 2634-33-5

Route of exposure: Freshwater sediments
Value: 0,0499 mg/kg
Comments: CAS no: 2634-33-5

Route of exposure: Sewage treatment plant STP
Value: 199,5 g/l
Comments: CAS no. 107-21-1

Route of exposure: Freshwater
Value: 10 mg/l
Comments: CAS no. 107-21-1

Route of exposure: Soil
Value: 1,53 mg/kg
Comments: CAS no. 107-21-1

Route of exposure: Saltwater
Value: 1 mg/l

Comments: CAS no. 107-21-1

Route of exposure: Freshwater sediments
Value: 37 mg/kg
Comments: CAS no. 107-21-1

Route of exposure: Saltwater sediments
Value: 3,7 mg/kg
Comments: CAS no. 107-21-1

Route of exposure: Sewage treatment plant STP
Value: 10 mg/l
Comments: CAS no. 27138-31-4

Route of exposure: Freshwater
Value: 0,0037 mg/l
Comments: CAS no. 27138-31-4

Route of exposure: Soil
Value: 1 mg/kg
Comments: CAS no. 27138-31-4

Route of exposure: Saltwater
Value: 0,00037 mg/l
Comments: CAS no. 27138-31-4

Route of exposure: Freshwater sediments
Value: 1,49 mg/kg
Comments: CAS no. 27138-31-4

Route of exposure: Saltwater sediments
Value: 0,149 mg/kg
Comments: CAS no. 27138-31-4

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls	Well-ventilated area. Use engineering controls to reduce air contamination to permissible exposure level.
----------------------------------	---

Eye / face protection

Required Properties	Ej relevant vid normal användning av produkten.
---------------------	---

Hand protection

Skin- / hand protection, short term contact	Under normal conditions of use gloves are not normally required.
---	--

Skin protection

Suitable protective clothing	Protective clothing is not required for recommended use.
------------------------------	--

Respiratory protection

Respiratory protection, general	Respiratory protection is not required under normal conditions of use.
Respiratory protection necessary at	In case of inadequate ventilation wear respiratory protection. Respiratory protection must be used if air contamination exceeds acceptable level.

Appropriate environmental exposure control

Environmental exposure controls	Avoid release to the environment.
---------------------------------	-----------------------------------

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Colour	No data available.
Odour	No data available.
Odour limit	Comments: No data available.
pH	Comments: No data available.
Melting point / melting range	Comments: No data available.
Boiling point / boiling range	Value: 114 °C
Flash point	Comments: No data available.
Evaporation rate	Comments: No data available.
Flammability	No data available.
Explosion limit	Comments: No data available.
Vapour pressure	Value: 2146 Pa Temperature: 20 °C
	Value: 11,31 kPa Temperature: 50 °C
Vapour density	Comments: No data available.
Particle characteristics	Comments: No data available.
Relative density	Value: 1,536 Temperature: 20 °C
Density	Value: 1580, kg/m ³ Temperature: 20 °C
Solubility	Comments: No data available.
Partition coefficient: n-octanol/ water	Comments: No data available.
Auto-ignition temperature	Value: 400 °C
Decomposition temperature	Comments: No data available.
Viscosity	Comments: No data available.
Explosive properties	No data available.
Oxidising properties	No data available.

9.2. Other information

Other physical and chemical properties

Physical and chemical properties No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions.

10.4. Conditions to avoid

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition products Toxic gases may form when heated. Carbon dioxide (CO₂). Carbon monoxide (CO). Hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Effect tested: LD50
Route of exposure: Oral
Value: > 2000 mg/kg
Comments: CAS: 27138-31-4

Effect tested: LD50
Route of exposure: Dermal
Value: > 2000 mg/kg
Comments: CAS: 27138-31-4

Effect tested: LC50
Route of exposure: Inhalation.
Value: > 20 mg/l
Comments: CAS: 27138-31-4

Effect tested: LD50
Route of exposure: Oral
Value: 500 mg/kg

Species: Rat
Comments: CAS: 2634-33-5

Effect tested: LD50
Route of exposure: Dermal
Value: > 2000 mg/kg
Comments: CAS: 2634-33-5

Effect tested: LC50
Route of exposure: Inhalation.
Value: > 5 mg/l
Comments: CAS: 2634-33-5

Effect tested: LD50
Route of exposure: Oral
Value: 64 mg/kg
Species: Rat
Comments: CAS: 55965-84-9

Effect tested: LD50
Route of exposure: Dermal
Value: 87,12 mg/kg
Species: Rabbit
Comments: CAS: 55965-84-9

Effect tested: LC50
Route of exposure: Inhalation.
Duration: 4 hour(s)
Value: 0,33 mg/l
Species: Rat
Comments: CAS: 55965-84-9

Effect tested: LD50
Route of exposure: Oral
Value: 7712 mg/kg
Species: Rat
Comments: CAS: 107-21-1

Effect tested: LC50
Route of exposure: Inhalation.
Duration: 6 hour(s)
Value: > 2,5 mg/l
Species: Rat
Comments: CAS: 107-21-1

Effect tested: LD50
Route of exposure: Dermal
Value: > 3500 mg/kg
Species: Rabbit
Comments: CAS: 107-21-1

Effect tested: ATEmix calculated
Route of exposure: Dermal
Value: > 2000 mg/kg

Effect tested: ATEmix calculated

Route of exposure: Oral
Value: > 2000 mg/kg

Effect tested: ATEmix calculated
Route of exposure: Inhalation.
Duration: 4 hour(s)
Value: > 20 mg/l

Other information regarding health hazards

Assessment of acute toxicity, classification	No specific health hazard indicated.
Assessment of skin corrosion / irritation, classification	No specific health hazard indicated.
Assessment of eye damage or irritation, classification	No specific health hazard indicated.
Assessment of respiratory sensitisation, classification	No specific health hazard indicated.
Assessment of skin sensitisation, classification	No specific health hazard indicated.
Sensitisation	Contains 1,2-Benzisotiazol-3(2H)-on och Reaktionsblandning av 5-klor-2-metyl-2H-isotiazol-3-on och 2- metyl-2H-isotiazol-3-on (3:1). May produce an allergic reaction.
Assessment of germ cell mutagenicity, classification	No specific health hazard indicated.
Assessment of carcinogenicity, classification	No specific health hazard indicated.
Assessment of reproductive toxicity, classification	No specific health hazard indicated.
Assessment of specific target organ toxicity - single exposure, classification	No specific health hazard indicated.
Assessment of specific target organ toxicity - repeated exposure, classification	No specific health hazard indicated.
Assessment of aspiration hazard, classification	No specific health hazard indicated.

Symptoms of exposure

In case of ingestion	No specific symptoms noted.
In case of skin contact	No specific symptoms noted.
In case of inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
In case of eye contact	No specific symptoms noted.

11.2 Other information

Endocrine disruption	This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated
----------------------	--

Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity, fish

Toxicity type: Acute
Value: > 10 - 100 mg/l
Effect dose concentration: LC50
Exposure time: 96 hour(s)
Comments: CAS: 27138-31-4

Toxicity type: Acute
Value: > 0,1 - 1 mg/l
Effect dose concentration: LC50
Exposure time: 96 hour(s)
Comments: CAS: 2634-33-5

Toxicity type: Acute
Value: > 0,1 - 1 mg/l
Effect dose concentration: LC50
Exposure time: 96 hour(s)
Comments: CAS: 55965-84-9

Toxicity type: Acute
Value: 53000 mg/l
Effect dose concentration: LC50
Exposure time: 96 hour(s)
Species: Pimephales promelas
Comments: CAS: 107-21-1

Aquatic toxicity, algae

Toxicity type: Acute
Value: > 10 -100 mg/l
Effect dose concentration: EC50
Exposure time: 72 hour(s)
Comments: CAS: 27138-31-4

Toxicity type: Acute
Value: > 0,1 - 1 mg/l
Effect dose concentration: EC50
Exposure time: 72 hour(s)
Comments: CAS: 2634-33-5

Toxicity type: Acute
Value: > 0,1 - 1 mg/l
Effect dose concentration: EC50
Exposure time: 72 hour(s)
Comments: CAS: 55965-84-9

Toxicity type: Acute
Value: 24000 mg/l
Effect dose concentration: EC50
Exposure time: 168 hour(s)
Species: Selenastrum capricornutum
Comments: CAS: 107-21-1

Aquatic toxicity, crustacean	Toxicity type: Acute Value: > 10 - 100 mg/l Effect dose concentration: EC50 Exposure time: 48 hour(s) Comments: CAS: 27138-31-4
	Toxicity type: Acute Value: > 0,1 - 1 mg/l Effect dose concentration: EC50 Exposure time: 48 hour(s) Comments: CAS: 2634-33-5
	Toxicity type: Acute Value: > 0,1 - 1 mg/l Effect dose concentration: EC50 Exposure time: 48 hour(s) Comments: CAS: 55965-84-9
	Toxicity type: Acute Value: 51000 mg/l Effect dose concentration: EC50 Exposure time: 48 hour(s) Species: Daphnia magna Comments: CAS: 107-21-1
Ecotoxicity	Not classified as dangerous to the environment.

12.2. Persistence and degradability

Biodegradability	Value: 90 % Comments: CAS: 107-21-1 Test period: 14 day(s)
	Value: 0 % Comments: CAS: 2634-33-5 Test period: 28 day(s)
Chemical oxygen demand (COD)	Value: 1,29 Comments: g O2/g CAS: 107-21-1
Biological oxygen demand (BOD)	Value: 0,47 Comments: g O2/g CAS: 107-21-1
BOD5/COD ratio	Value: 0,36 Comments: CAS: 107-21-1

12.3. Bioaccumulative potential

Bioconcentration factor (BCF)	Value: 2 Comments: CAS: 2634-33-5
	Value: 10 Comments: CAS: 107-21-1

12.4. Mobility in soil

Mobility	No recommendation given.
----------	--------------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	Not Classified as PBT/vPvB by current EU criteria.
------------------------------------	--

12.6. Endocrine disrupting properties

Endocrine disrupting properties	This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
---------------------------------	--

12.7. Other adverse effects

Additional ecological information	No recommendation given.
-----------------------------------	--------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Avoid release to the environment. Dispose of waste and residues in accordance with local authority requirements.
EWC waste code	EWC waste code: 080410 waste adhesives and sealants other than those mentioned in 08 04 09 Classified as hazardous waste: No

SECTION 14: Transport information

Dangerous goods	No
-----------------	----

14.1. UN number

Comments	Not relevant.
----------	---------------

14.2. UN proper shipping name

Comments	Not relevant.
----------	---------------

14.3. Transport hazard class(es)

Comments	Not relevant.
----------	---------------

14.4. Packing group

Comments	Not relevant.
----------	---------------

14.5. Environmental hazards

Comments	Not relevant.
----------	---------------

14.6. Special precautions for user

Special safety precautions for user	Not relevant.
-------------------------------------	---------------

14.7. Maritime transport in bulk according to IMO instruments

ADR/RID Other information

Limited quantity	Not relevant.
------------------	---------------

ADN Other information

Special provisions	Not relevant.
--------------------	---------------

IMDG Other information

Limited quantity	Not relevant.
------------------	---------------

ICAO/IATA Other information

Other transport, general	Not relevant.
--------------------------	---------------

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH). The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). EH40/2005, Workplace exposure limits 2005, with amendments.</p> <p>Föreskrift (EC) 528/2012: innehåller ett konserveringsmedel för att skydda den behandlade artikelns ursprungliga egenskaper.</p> <p>Innehåller 5-klor-2-metyl-2H-isotiazol-3-one [EG-nr 247-500-7] and 2-metyl-2H-isotiazol-3-one [EG-nr 220-239-6] (3:1), 1,2-benzisotiazol-3(2H)-on.</p>
-----------------------------	--

15.2. Chemical safety assessment

Chemical safety assessment performed	No
--------------------------------------	----

SECTION 16: Other information

Supplier's notes	<p>The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.</p>
------------------	--

List of relevant H-phrases (Section 2 and 3)	EUH 071 Corrosive to the respiratory tract. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Key literature references and sources for data	MSDS supplied by the manufacturer
Information added, deleted or revised	Relevant changes compared to the previous version of the safety data sheet are indicated with vertical lines in the left margin.
Last update date	18.03.2024
Version	1
Prepared by	Amanda Öhman, Goodpoint AB